

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Re:

Applicant:

Johannes Kocher

Serial No.:

10/790,581

Filing Date:

3 /1 /2004

Patent No.:

7,237,665

Title:

PREVENTING UNAUTHORIZED HOISTWAY ACCESS

Sir:

Enclosed for filing in the United States Patent and Trademark Office is the following:

- 1. Revocation of Power of Attorney and Appointment of New Power of Attorney
- 2. Statement Under 37 C.F.R. 3.73(b)
- 3. Appendix A
- 4. Transmittal Sheet

Respectfully submitted,

Date

Brian E. Hennessey

Registration No. 51,271

Wolff & Samson PC

One Boland Drive

West Orange, NJ 07052

Tel: (973) 530-2030

Fax: (973) 530-2230

enc.

1411. (570) 000 2200

I hereby certify that this correspondence is being deposited with the United States Postal Service, First Class Mail, postage prepaid, to Commissioner for Patents, P.O. Box 1450, Alexandria,

VA 22313-1450 on

By:

Maria . Johnson



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

POWER OF ATTORNEY AND CHANGE OF CORRESPONDENCE ADDRESS

Revoking all powers of attorney heretofore given in the applications and patents identified in Appendix A, please appoint the Practitioners associated with Customer Number 20694 as our attorneys or agents in the applications and patents identified in Appendix A, with full power of substitution and revocation, to prosecute said applications, to make alterations and amendments therein, and to transact all business in the Patent and Trademark Office connected therewith.

Please associate the applications and patents identified in Appendix A with Customer No. 20694 and direct all written correspondence in these applications to the address associated with Customer No. 20694. Please direct all telephone calls in the applications identified in Appendix A to Brian E. Hennessey at 973-530-2030.

Martin Hellebrandt

Title: Head of Patent Department

Inventio AG, (Assignee of record of the entire interest) Statement Under 37 C.F.R. 3.73(b) enclosed

Date: Jan. 23, 2009



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450

STATEMENT UNDER 37 C.F.R. 3.73(b)

Inventio AG, a corporation, states that it is the assignee of the entire right, title and interest in the patent applications and patents identified in Appendix A by virtue of assignments from the inventors of the patent applications/patents identified in Appendix A to Inventio AG.

Assignments from the inventors listed in Appendix A to Inventio AG were recorded in the United States Patent and Trademark Office at the corresponding Reel/Frame numbers listed in Appendix A.

As required by 37 C.F.R. 3.73(b)(1)(i), the documentary evidence of the chain of title from the original owner to the assignee was submitted for recordation pursuant to 37 C.F.R. 3.11.

The undersigned (whose title is supplied below) is authorized to act on behalf of the assignee.

Martin Hellebrandt

Title: Head of Patent Department

au. 23, 2009

			T-	-			Υ	<u> </u>				T					
	0326	0323	0110	0107	0113	0184	0514	0440	0845	0448	0638	0201	0888	0350	0117	6260	0307
Reel	020191	020191	020013	020013	020013	017345	018598	015795	015790	015791	020241	02045	020148	020132	019856	020036	019757
මුබ්බ්ල්	CONNECTING ELEMENT	CONNECTING ELEMENT	OPERATING/DESIGN PANEL	OPERATING/DISPLAY PANEL	OPERATING/DISPLAY PANEL	ELEVATOR SILL	ELEVATOR SILL	ELEVATOR CAR OPERATING PANEL	KEY SWITCH	ESCALATOR WITH ILLUMINATED BALUSTRADE	CONNECTING DEVICE AND METHOD FOR OCNNECTING TWO WALL ELEMENTS OF AN ELEVATOR CAGE	STOP BAR FOR CREATING A TEMPORARY SAFETY SPACE 02045 WITHIN AN ELEVATOR HOISTWAY	STOP BAR FOR CREATING A TEMPORARY SAFETY SPACE 020148 WITHIN AN ELEVATOR HOISTWAY	ELEVATOR SYSTEM WITH SAFETY DEVICE ON ELEVATOR 020132 DOORS	Bernhard Gerstenkorn METHOD FOR MODERNIZING THE CONTROL OF AN EELVATOR SYSTEM	METHOD FOR DETECTING THE STATE OF A LIFT CAGE AND LIFT SYSTEM WHEREIN THE METHOD IS USED	METHOD OF CONTROLLING ACCESS TO AN ELEVATOR CAR
Applicant	Ernst Ach	Ernst Ach	Daniela Corti	Daniela Corti	Daniela Corti	Stefano Menchini	Stefano Menchini	Werner Zemp	Werner Zemp	Gerhard Kleaver	Pius Elmiger	Johannes Kocher	Johannes Kocher	Hans Kocher	Bernhard Gerstenkon	Rene Kunz	Wolfgang Vogl
Petent No.						D542,419	D542,933	D546,724	D545,176	D551,419							
િમીલ્લ	11/16/2007	11/16/2007	10/9 /2007	10/9 /2007	10/9 /2007	12/21/2005	12/21/2005	9 /13/2004	9 /13/2004	9 /14/2004	11/30/2007	10/31/2007	10/31/2007	9 /28/2007	9 /10/2007	9 /24/2007	7/26/2007
Senfal Mo.	29/293,331	29/293,342	29/292,338	29/292,337	29/292,336	29/245,343	29/245,327	29/213,138	29/213,119	29/213,114	11/998,704	11/981,978	11/981,919	11/904,789	11/900,282	11/887,034	11/881,212

	\top	T	T-	Т		Т					т—			
Freme 0479	0004	0143	0385	0549	0914	0180	0262	0705	8990	0410	0167	0400	0156	0521
Ree() 019444	019445	019479	019479	019444	019570	020997	018681	018652	018617	018317	016590	016061	016065	015855
CAR WALL ARRANGEMENT FOR AN ELEVATOR CAR	BRAKE DEVICE OF AN ELEVATOR CAR	METHOD FOR TRANSPORTING PERSONS IN A BUILDING	METHOD OF TRANSPORTING PERSONS IN A BUILDING	ELEVATOR INSTALLATION COMPRISING A LIGHT MODULE 019444	ELEVATOR WITH FLAT BELT AS SUSPENSION	LIFT CAGE AND METHOD FOR INSTALLATION OF A LIFT	ELEVATOR CAR AND METHOD OF INSTALLING WALL ELEMENTS OF A CAR WALL	CONVEYING INSTALLATION AND METHOD OF PLACING A CONVEYING INSTALLATION IN OPERATION	LIFT INSTALLATION WITH EQUIPMENT FOR COMPENSATION FOR THE WEIGHT DIFFERENCE BETWEEN CAGE RUNS AND THE COUNTERWEIGHT RUNS OF THE SUPPORT MEANS AND METHOD FOR REALISATION OF SUCH COMPENSATION	ELEVATOR INSTALLATION WITH DRIVEBELT PULLEY AND 018317 FLAT-BELTLIKE SUSPENSION MEANS	ELEVATOR SUPERVISION	ELEVATOR CABIN WITH INTEGRATED VENTILATION SYSTEM	ELEVATOR WITH AN ALL OPTICAL CONTROL APPARATUS 016065	SAFETY SYSTEM FOR AN ELEVATOR INSTALLATION AND METHOD OF OPERATING AN ELEVATOR INSTALLATION WITH A SAFETY SYSTEM
Denis Sittler	Walter Windlin	Lukas Finschi	Lukas Finschi	Guntram Begie	Ernst Ach	Julian Maury	Denis Sittler	Erich Tschuemperlin	Robert Stalder	Erst Ach	Philipp Angst	Agnaldo Santos	Murilo Lopes Dos Santos	Romeo DePlazes
SON WEIGHT A.											7,353,916	7,059,958	7,380,641	7,353,914
4 /30/2007	4 /30/2007	6 /1 /2007	6 /1 /2007	4/25/2007	7 /18/2007	5 /27/2008	12/12/2006	12/7/2006	11/21/2006	9 /15/2006	5 /20/2005	12/6 /2004	12/6 /2004	9 /29/2004
11/796,969	11/796,960	11/792,215	11/792,213	11/666,217	11/665,938	11/662,438	11/637,313	11/635,257	11/603,600	11/521,658	11/133,729	11/005,147	11/005,135	10/953,440

Red Reme 1843 0690	457 0556	245 0315	124 0240	120 0593	054 0730	769 0984	803 0864	795 0050	645 0302	479 0602	243 0632
015	015457	015245	015124	CE 015	015054	011769	014803	014795	014645	014479	018043
ERRIFED ELEVATOR INSTALLATION FOR ZONAL OPERATION IN A BUILDING, METHOD FOR ZONAL OPERATION OF SUCH AN ELEVATOR INSTALLATION AND METHOD FOR	MODERNIZATION OF AN ELEVATOR ELEVATOR INSTALLATION, A METHOD OF OPERATING THIS ELEVATOR INSTALLATION, AND METHOD OF MODERNIZING AN ELEVATOR INSTALLATION	DRIVE PULLEY FOR ELEVATORS AND METHOD OF MANUFACTURE THEREOF	METHOD AND SYSTEM FOR MAINTENANCE OF AN ELEVATOR OR ESCALATOR INSTALLATION	STOP BAR FOR CREATING A TEMPORARY SAFETY SPACE 015120 WITHIN AN ELEVATOR HOISTWAY	PREVENTING UNAUTHORIZED HOISTWAY ACCESS	DOOR TRACK FOR AN ELEVATOR DOOR SYSTEM	METHOD AND SYSTEM FOR EMERGENCY EVACUATION OF BUILDING OCCUPANTS AND A METHOD FOR MODERNIZATION OF AN EXISTING BUILDING WITH SAID SYSTEM	METHOD AND DEVICE FOR CONTROLLING A ZONALLY OPERATED ELEVATOR INSTALLATION	DRIVE CAPABLE SUPPORT OR TRACTION MEANS AND METHOD FOR PRODUCTION THEREOF	ELEVATOR PROCEDURE FOR MAINTENANCE OF THE ELEVATOR, PROCEDURE FOR THE MODERNIZATION OF AN ELEVATOR AND CLAMPING DEVICE FOR AN ELEVATOR	ELEVATOR SYSTEM
Eugen Hagi	Romeo DePlazes	Urs Ammon	Paul Fisher	Johannes Kocher	Johannes Kocher	Michael Miller	Lorenzo Parrini	Miroslav Kosta	Roland Eichhorn	Peter Spiess	Ernst Ach
7,360,629	7,467,691			7,322,445	7,237,665	7,152,713	7,182,174	7,128,190	7,185,482	7,207,550	
9 /27/2004	6 /9 /2004	4 /20/2004	3 /18/2004	3 /18/2004	3 /1 /2004	12/17/2003	12/15/2003	12/10/2003	10/24/2003	9 /10/2003	7 /6 /2006
10/950,899	10/864,131	10/827,832	10/804,888	10/804,243	10/790,581	10/739,957	10/737,249	10/733,001	10/693,384	10/659,102	10/585,563

			T	T	· ·		Ī	<u> </u>	T
Freme	0311	0444	0921	0911	0110	0602	0954	0162	9620
. Reel	016858	016503	016649	015352	015365	013512	013504	011735	010971
Evilled :	STATE REMOTE READING DEVICE	CONTROL AND/OR MONITORING DEVICE USING AN ELECTRONIC LABEL, A READER AND A STATE ENCODER	CONTROLLING AND/OR MONITORING DEVICE USING AT LEAST A TRANSMISSION CONTROLLER	ELEVATOR INSTALLATION HAVING A VIRTUAL PROTECTION AREA AT THE BOTTOM AND/OR THE TOP OF THE ELEVATOR SHAFT, AND METHOD FOR CONTROLLING THE SAME	METHOD FOR PREVENTING AN INADMISSIBLY HIGH SPEED OF THE LOAD RECEIVING MEANS OF AN ELEVATOR	DR SECURITY CONTROL AND/OR STATION OF PERSONS WITH AN ELEVATOR ION, METHOD OF OPERATING THIS SYSTEM, OD OF RETROFITING AN ELEVATOR ION WITH THIS SYSTEM	METHOD, SYSTEM AND COMPUTER PROGRAM PRODUCT (FOR COMPUTER-ASSISTED FURNISHING OF MATERIALS IN ELEVATOR CONSTRUCTION	ELEVATOR INSTALLATION WITH A DEVICE FOR OPERATING IN A SPECIAL MODE	CABLE ELEVATOR WITH A DRIVE PLATE
) Appliesta	Michel Gielis	Michel Gielis	Michel Gielis	Romeo DePlazes	Philipp Angst	Paul Friedli	Guntram Begle	Christian Daniel	Erst Ach
PatentiNo		7,298,263	-	7,201,256	7,117,979			6,471,014	6,991,069
Reference Repetition	12/13/2004	12/9 /2004	12/10/2004	1 /7 /2004	12/19/2003	11/20/2002	11/19/2002	3 /28/2001	6 /22/2000
ු ර	10/517,797	10/517,736	10/517,512	10/483,204	10/481,615	10/300,497	10/299,753	09/806,116	09/582,122